USER MANUAL
PIPE PROTEQ PROTECTOR

How to use the Pipe Proteq Drill Pipe box and pin protector

Version 1.0

PIPE PROTEQ
FITS ALL- QUICK AND SAFE

Attaching the Box protector



Let the protector slide in the Pipe until the seal of the protector is connected to the drill pipe.



Push the handle in the protector case till it can’t be pushed any further.



To secure the protector, turn the handle 90 degrees clockwise until the handle reaches the indicators on the protector case.



The protector is fitted correctly and is secured

PIPE PROTEQ
FITS ALL- QUICK AND SAFE

Removing the Box protector



The handle of the protector is secured if it is aligned with the indicators on the outer case of the protector



Turn the handle 90 degrees counter clockwise until it cannot be turned any further.



Pull the handle and the protector can be removed from the pipe

PIPE PROTEQ
FITS ALL- QUICK AND SAFE

Attaching the Pin protector



Push the protector on the pipe until the protector is connected to the seal of the pipe.

If the protector is fitted correctly the outer case can be pushed over the inner case until they are connected.

Turn the handle 90 degrees clockwise until the
handle is aligned with the indicators on the outer protector case.



The protector is fitted correctly and is secured

PIPE PROTEQ
FITS ALL- QUICK AND SAFE

Removing the Pin protector



The handle of the protector is secured if it is aligned with the indicators on the outer case of the protector

Turn the handle 90 degrees counter clockwise until it cannot be turned any further.



Pull the handle and the outer case of the protector will be lifted a bit from the inner Case and the protector can be removed from the pipe

PIPE PROTEQ
FITS ALL- QUICK AND SAFE